

From: Gerald Heston/R3/USEPA/US

Sent: 7/24/2012 2:26:31 PM

To: Ron Borsellino/R3/USEPA/US@EPA; Kathy Hodgkiss/R3/USEPA/US@EPA; Dennis Carney/R3/USEPA/US@EPA; Bonnie Gross/R3/USEPA/US@EPA; Fran Burns/R3/USEPA/US@EPA; Gerald Heston/R3/USEPA/US@EPA; Richard Fetzner/R3/USEPA/US@EPA; Richard Rupert/R3/USEPA/US; Kelley Chase/R3/USEPA/US@EPA; Ann DiDonato/R3/USEPA/US@EPA; LaRonda Koffi/R3/USEPA/US@EPA

CC:

Subject: Dimock Update (1430 hrs., 7/24/12)

Additional data packages overnighted to first round homes.

Data packages delivered to residents receiving alternate water. These residents were also informed of EPA's intent to stop alternate water deliveries.

Data package beings delivered to two of the round one supplemental homes. Site team trying to contact the remaining round one supplemental home.

Provision of alternate water continues until termination is scheduled with the residents.

Gerald T. Heston, Chief
Eastern Response Branch (3HS31)
U. S. Environmental Protection Agency - Region 3
1650 Arch Street
Philadelphia, PA 19103

Phone: 215-814-3273

Fax: 215-814-3254